SAFETY DATA SHEET



Product Name:

BB 74

Version No. 2 Revision date 01-06-2015 Initial issue date 29-07-2003

1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

1.1 Product Identifier

BB 74

1.2 Relevant/Use(s)/misuse(s)

Industrial

1.3 SDS Supplier

Beacon Water Treatments Limited

Parsons Hall Industrial Estate

High Street

Telephone: 01933 410066

Irchester, NN29 7AB

1.4 Emergency Telephone

01604 505735 (Office

Competent Person e-mail: trevor@rising-hsande.co.uk

hours)

2. HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP/GHS)

Skin Corr. 1B H314 Aquatic Chronic 2 H411

2.1.2 Additional information

For text of hazard statements, see section 16

2.2 LABELLING ELEMENTS

2.2.1 Labelling in accordance with EC Regulation No 1272/2008 (CLP/GHS)

Pictogram(s):





Signal word

DANGER

Hazard statement(s)

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. . H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS,

Precautionary statement(s)

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE

PROTECTION/FACE PROTECTION.

P312 CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.

P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P305+351+338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES.

REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE

RINSING.

P501 DISPOSE OF CONTENTS/CONTAINER TO HAZARDOUS OR SPECIAL

WASTE COLLECTION SITE IN ACCORDANCE WITH LOCAL / REGIONAL /

NATIONAL OR INTERNATIONAL REGULATIONS

2.3 Other hazards No

None known

Product Name: BB 74

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterisation AQUEOUS ALKYLAMINE SOLUTION

Chemical name EINECS/ELINCS CAS-No Classification **Concentration** 2-AMINO-2-METHYL-1-124-68-5 204-709-8 Skin Irrit. 2 H315; Eye 10-20% PROPANOL (AMP) Irrit. 2 H319; Aquatic Chronic 3 H412 N,N',N'-POLYOXYETHYLENE 61790-85-0 **POLYMER** Acute Tox. 4 H302; Skin 10-15% (12)-N-TALLOW-1.3-Corr. 1B H314; Eye DIAMINOPROPANE Dam. 1 H318; Aquatic Acute 1 H400; Aquatic Chronic 1 H410

4. FIRST AID MEASURES

4.1 Description of measures

Inhalation If inhaled, provide fresh air, warmth, rest and if necessary, seek medical advice.

Skin contact Immediately clean areas of skin affected with soap and plenty of water. If necessary, seek

medical advice.

Eye contact Immediately wash out eye thoroughly with plenty of water until irritation subsides. If

necessary, seek medical advice.

Ingestion If product is swallowed, do NOT induce vomiting. Drink plenty of water; if necessary, seek

medical advice.

4.2 Most important effects/symptoms

ortant None known.

4.3 Immediate/special

treatment

Treatment as described above.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing mediaTo suit local surroundings (e.g. water mist, carbon dioxide, foam, chemical powder for

large fires). The product is not flammable

5.2 Special hazards Decomposition products released in a fire should be considered as probably harmful if

inhaled.

5.3 Advice for fire fighters Wear self-contained breathing apparatus. Avoid run-off water entering the drains (e.g. use

barriers)

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions Adhere to personal protective measures.

6.2 Environmental

precautions

Do not allow to get into waste water or waterways; if this occurs, inform the relevant water authority at once.

adinomy at

6.3 Methods and materials for cleaning up

Take up with absorbent material, e.g. sand, sawdust, into tightly closed containers. Label

container and dispose of as prescribed

6.4 Reference to other

sections

See section 8 for personal protective equipment.

Product Name: BB 74

7. HANDLING AND STORAGE

7.1 Precautions for safe

handling

Handle in accordance with good hygiene and safety practice.

7.2 Conditions for safe

storage

Ensure adequate ventilation of the storage area. Keep containers tightly closed, cool and

dry. Avoid high temperatures.

7.3. Specific end use(s) Industrial

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Controls parametersThere are no occupational exposure limit values available. Comply with good practice.

8.2 Exposure controls

Engineering controls Ensure adequate ventilation of working area.

Personal protection Observe normal standards for handling chemicals.

Wash hands before breaks and after work.

Avoid contact with skin and eyes.

Wear personal protective equipment appropriate to the task (see below)

Eye protection Safety goggles (e.g. EN 166) if splashing is likely.

Skin protection PVC or rubber gloves (also consider your own risk assessment; e.g. breakthrough times,

rates of diffusion and degradation, tasks undertaken)

Respiratory protection Approved respirator if ventilation is insufficient.

Other protection Protective overall

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties

Physical form Liquid

Colour Yellowish

Odour Slight

Odour threshold No data available

pH >11.5

Boiling pt / range From 100 °C

Melting pt / range Not determined °C

Flash point Not applicable °C

Auto ignition temp. Not applicable °C

Evaporation rate Not applicable

Relative density >1.0

Flammability
Not applicable
Explosion limits
Not applicable
Vapour pressure
Not applicable
Relative vapour density
Not determined

Water solubility Miscible

Thermal decomposition No data available

Product Name: BB 74

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties

Viscosity Not applicable

Partition coefficient Log $P_{o/w} = Not$ determined

Explosive properties Not applicable

Oxidising properties Not applicable

9.2 Other information None known

10. STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions of handling.

10.2 Chemical stability Stable

10.3 Hazardous reactions None known.10.4 Conditions to avoid None known.

10.5 Incompatible material The product is incompatible with strong oxidising agents and strong acids. AMP can

corrode copper, brass and aluminium.

10.6 Hazardous

decomposition products

None

11. TOXICOLOGICAL INFORMATION

11.1 information on toxicological effects

Acute toxicity LD₅₀ rat (oral) >2000 mg/kg Data for AMP

LD₅₀ rat (oral) 200-2000 mg/kg Data for polymer

Dermal compatibilityNo data available

Mucous membrane

compatibility

No data available

12. ECOLOGICAL INFORMATION

12.1 Toxicity LC₅₀ Fish 190 mg/l Data for AMP, 96h

 EC_{50} Daphnia magna 193 mg/l Data for AMP, 48h LC_{50} algae 520 mg/l Data for AMP, 72h

12.2 DegradabilityNo data available

12.3 Bioaccumutive potential Not determined

12.4 Mobility in soil Not determined

12.5 PBT/vPvB assessment Not applicable

12.6 Other adverse effects Do not allow to get into waste water or waterways; if this occurs, inform the relevant water

authority at once.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment measures

Advice on disposal In accordance with national and local authority regulations, e.g. The Hazardous Waste

(England & Wales) Regulations 2005.

Contaminated packaging Treat empty containers in the same way as the product or if possible wash out thoroughly

and recycle.

Product Name: BB 74

14. TRANSPORT INFORMATION

14.1 United Nations No. UN 3082 (ADR, IMDG, IATA)

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (N,N',N'-POLYOXYETHYLENE (12)-N-TALLOW-1,3-DIAMINOPROPANE) (ADR,

IMDG, IATA)

14.3 Transport class(s) 9 (ADR, IMDG, IATA)

14.4 Packing group Ш (ADR, IMDG, IATA)

14.5 Environmental

14.6 Special procedures

hazards

The product SHOULD be marked as a marine pollutant. (ADR, IMDG, IATA)

Not applicable (ADR, IMDG, IATA)

14.7 Transport in bulk Not applicable (ADR, IMDG, IATA)

15. REGULATORY INFORMATION

15.1 Safety, health and

environmental regulations

15.2 Chemical safety assessment

The product is classified in accordance with EC Regulation 1272/2008 (CLP). Other regulatory information and provisions are not applicable for this product.

Not applicable

16. OTHER INFORMATION

Further information The SDS has been revised in accordance with EC Regulation 1272/2008 (CLP)

Hazard statements referred to in sections 2/3

H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects, H412: Harmful to aquatic life with long lasting effects

Sources of data Other suppliers' safety data sheets

Date of issue 01-06-2015

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

Data sheet prepared by Rising HS&E Services.