SAFETY DATA SHEET



Product Name:

Bechlor 97

Version No. 2 Revision date 01-06-2015 Initial issue date 18-02-2004

1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

1.1 Product Identifier BECHLOR 97

1.2 Relevant/Use(s)/misuse(s) Industrial

1.3 SDS Supplier Beacon Water Treatments Limited

Parsons Hall Industrial Estate

High Street Telephone: 01933 410066

Irchester, NN29 7AB

01604 505735 (Office

Competent Person e-mail: trevor@rising-hsande.co.uk

1.4 Emergency Telephone

hours)

2. HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP/GHS)

Skin Corr. 1B H314

2.1.2 Additional information

For text of hazard statements, see section 16

2.2 LABELLING ELEMENTS

2.2.1 Labelling in accordance with EC Regulation No 1272/2008 (CLP/GHS)

Pictogram(s):



Signal word

DANGER

Hazard statement(s)

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

Precautionary statement(s)

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE

PROTECTION/FACE PROTECTION.

P312 CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.

P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL

CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.

P305+351+338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES.

REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE

RINSING.

2.3 Other hazards Contact with acids liberates toxic gas (chlorine). Liberates oxygen on heating

Product Name: Bechlor 97

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterisation AQUEOUS ALKALINE SOLUTION PLUS ADDITIVES

Chemical name EINECS/ELINCS Classification CAS-No **Concentration** SODIUM HYPOCHLORITE 7681-52-9 231-668-3 Skin Corr. 1B H314: >10% active Aquatic Acute 1 H400 chlorine

4. FIRST AID MEASURES

4.1 Description of measures

Inhalation Remove casualty to fresh air and provide warmth and rest; if necessary, seek medical

advice

Skin contact Immediately clean areas of skin affected with soap and plenty of water. If necessary, seek

medical advice.

Eye contact Immediately wash out eye thoroughly with plenty of water until irritation subsides. If

necessary, consult an eye specialist/ophthalmologist.

Ingestion If product is swallowed, do NOT induce vomiting. Drink plenty of water; if necessary, seek

medical advice.

4.2 Most important effects/symptoms

None known.

4.3 Immediate/special

treatment

Treatment as described above.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media To suit local surroundings (e.g. water mist, carbon dioxide, foam, chemical powder for

large fires). The product is not flammable

5.2 Special hazards Decomposition products released in a fire (i.e. Oxygen and chlorine) should be considered

as probably harmful if inhaled.

5.3 Advice for fire fighters Wear self-contained breathing apparatus. Avoid run-off water entering the drains (e.g. use

barriers)

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions Adhere to personal protective measures.

6.2 Environmental precautions

Do not allow to get into waste water or waterways; if this occurs, inform the relevant water

authority at once.

6.3 Methods and materials for

cleaning up

Bund or absorb material with inert material (eg sand, NOT sawdust). Transfer liquid if possible to a salvage tank; otherwise absorb on inert material and transfer to suitable

containers for waste disposal

6.4 Reference to other

sections

See section 8 for personal protective equipment.

7. HANDLING AND STORAGE

7.1 Precautions for safe Handle in accordance with good hygiene and safety practice. Do not mix with other

handling cleaning agents.

7.2 Conditions for safe

Ensure adequate ventilation of the storage area. Keep containers tightly closed, cool and storage

dry. Suitable storage: vented containers of glass, PVC, GRP, suitably lined mild steel, high

density polyethylene

7.3. Specific end use(s) Industrial Product Name: Bechlor 97

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Controls parameters Monitoring of the workplace should be considered in accordance with EH40 (or equivalent)

controls if chlorine is released.

LTEL (8 hour TWA): 0.5 ppm 1.5 mg/m³ WEL data for chlorine STEL (15 min.): 1 ppm 3 mg/m³ WEL data for chlorine

8.2 Exposure controls

Engineering controls Ensure adequate ventilation of working area.

Personal protection Observe normal standards for handling chemicals.

Wash hands before breaks and after work. Avoid contact with skin and eyes. Wear personal protective equipment appropriate to the task (see below)

Eye protection Safety goggles (e.g. EN 166) if splashing is likely.

Skin protection Gloves (e.g. Nitrile; also consider your own risk assessment.)

Respiratory protection Approved respirator (e.g. EN 149:2001 FFP3) if ventilation is insufficient.

Other protection Protective overall

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties

Physical form Liquid

Colour Clear green/yellow

Odour Chlorine

Odour threshold No data available

pH >13

Boiling pt / range 110 °C Melting pt / range -17 °C

Flash point Not applicable °C

Auto ignition temp. Not applicable °C

Evaporation rate Not applicable

Relative density 1.26

Flammability Not flammable but will liberate oxygen on heating

Explosion limits Not applicable

Vapour pressure 17.5mm Hg @ 20°C

Relative vapour density Not determined

Water solubility Miscible

Thermal decomposition No data available

Viscosity Not applicable

Partition coefficient Log $P_{o/w}$ = Not determined

Explosive properties Not applicable

Oxidising properties Strong oxidising agent

17.

Product Name: Bechlor 97

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties

9.2 Other information None known

10. STABILITY AND REACTIVITY

10.1 ReactivityContact with acids liberates toxic gas (chlorine). Violent reactions with ammonia,

ammonium compounds and organic material

10.2 Chemical stability Unstable, decomposes to form sodium chloride and sodium chlorate liberating oxygen

10.3 Hazardous reactions None known.

10.4 Conditions to avoid Heat, strong sunlight.

10.5 Incompatible material Acids, ammonium salts, methanol, hydrocarbons, copper, nickel, iron, monel metal

10.6 Hazardous

decomposition products

Oxygen, chlorine

11. TOXICOLOGICAL INFORMATION

11.1 information on toxicological effects

Acute toxicity LD₅₀ rat (oral) 8910 mg/kg

Dermal compatibilityNo data available. Possible effects: irritation, blistering or prolonged contact

Mucous membrane

compatibility

No data available. Possible effects: pain, reddening, watering

Further information Ingestion may lead to formation of chlorine gas by reaction with stomach contents;

inhalation of chlorine gas will cause bronchial and pulmonary oedema. Symptoms may be

delayed for 48 hours or more

12. ECOLOGICAL INFORMATION

12.1 Toxicity LC₅₀ Aquatic organisms mg/l No data available

12.2 Degradability No data available. Material will degrade slowly to sodium chloride, sodium chlorate and

oxygen

12.3 Bioaccumutive potential Not determined
12.4 Mobility in soil Not determined

12.5 PBT/vPvB assessment Not applicable

12.6 Other adverse effects Likely to be toxic to aquatic organisms. Do not allow to get into waste water or waterways;

if this occurs, inform the relevant water authority at once.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment measures

Advice on disposal In accordance with national and local authority regulations, e.g. The Hazardous Waste

(England & Wales) Regulations 2005.

Contaminated packaging Treat empty containers in the same way as the product or if possible wash out thoroughly

and recycle.

Product Name: Bechlor 97

14. TRANSPORT INFORMATION

14.1 United Nations

UN 1791 (ADR, IMDG, IATA)

number

14.2 Proper shipping name

SODIUM HYPOCHLORITE SOLUTION (ADR, IMDG,

IATA)

14.3 Transport class(s)

8 (ADR, IMDG, IATA)

14.4 Packing group

III

(ADR, IMDG, IATA)

14.5 Environmental

The product should not be marked as a marine pollutant. (ADR, IMDG, IATA)

hazards

14.6 Special procedures

Not applicable (ADR, IMDG, IATA)

14.7 Transport in bulk

Not applicable (ADR, IMDG, IATA)

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

The product is classified in accordance with EC Regulation 1272/2008 (CLP). Other regulatory information and provisions are not applicable for this product.

15.2 Chemical safety

assessment

Not applicable

16. OTHER INFORMATION

Further information The SDS has been revised in accordance with EC Regulation 1272/2008 (CLP)

Hazard statements referred to in sections 2/3

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

Sources of data Other suppliers' safety data sheets

Date of issue 01-06-2015

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

Data sheet prepared by Rising HS&E Services.