SAFETY DATA SHEET



Product Name:

BEKLEEN

01-06-2015 04-02-2004 Version No. 2 **Revision date** Initial issue date

1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

1.1 Product Identifier

BEEKLEEN

1.2 Relevant/Use(s)/misuse(s)

Industrial

1.3 SDS Supplier

Beacon Water Treatments Limited

Parsons Hall Industrial Estate

High Street

Telephone: 01933 410066

Irchester, NN29 7AB

1.4 Emergency Telephone

01604 505735 (Office hours)

Competent Person e-mail: trevor@rising-hsande.co.uk

2. HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP/GHS)

Not classified (See section 16)

2.1.2 Additional information

For text of hazard statements, see section 16

2.2 LABELLING ELEMENTS

2.2.1 Labelling in accordance with EC Regulation No 1272/2008 (CLP/GHS)

Pictogram(s):

NONE

Signal word

NONE

Hazard

statement(s)

NONE

Precautionary statement(s)

NONE

2.3 Other hazards

None known

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Characterisation | AQUEOUS SOLUTION OF ORGANIC AND INORGANIC SUBSTANCES | | | |
|--|--|---------------|--|---------------|
| Chemical name | CAS-No | EINECS/ELINCS | Classification | Concentration |
| SODIUM HYDROXIDE | 1310-73-2 | 215-185-5 | Skin Corr. 1A H314 | 2-5% |
| ETIDRONIC ACID | 2809-21-4 | 220-552-8 | Met. Corr. 1 H290; Acute Tox. 4 H302; Eye Dam. 1 H318; | 10-15% |
| TETRASODIUM N,N- BIS(CARBOXYLATOMETHYL)-L- GLUTAMATE | 51981-21-6 | 257-573-7 | Met. Corr. 1 H290 | 3-5% |
| SODIUM METABISULPHITE | 7681-57-4 | 231-673-0 | Acute Tox. 4 H302: Eye Dam. 1 H318 | 1-2% |

Product Name: BEKLEEN

4. FIRST AID MEASURES

4.1 Description of measures

Inhalation If inhaled, provide fresh air, warmth, rest and if necessary, seek medical advice.

Skin contact Clean areas of skin affected with soap and plenty of water. If necessary, seek medical

advice.

Eye contact Wash out eye thoroughly with plenty of water until irritation subsides. If necessary, seek

medical advice.

Ingestion If product is swallowed, do NOT induce vomiting. Drink plenty of water; if necessary, seek

medical advice.

4.2 Most important effects/symptoms

None known.

4.3 Immediate/special

treatment

Treatment as described above.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing mediaTo suit local surroundings (e.g. water mist, carbon dioxide, foam, chemical powder for

large fires). The product is not flammable

5.2 Special hazards Decomposition products released in a fire should be considered as probably harmful if

inhaled.

5.3 Advice for fire fighters Wear self-contained breathing apparatus. Avoid run-off water entering the drains (e.g. use

barriers)

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions Adhere to personal protective measures.

6.2 Environmental precautions

Do not allow to get into waste water or waterways; if this occurs, inform the relevant water

authority at once.

6.3 Methods and materials for

cleaning up

Take up with absorbent material, e.g. sand, sawdust, into tightly closed containers. Label

container and dispose of as prescribed

6.4 Reference to other

sections

See section 8 for personal protective equipment.

7. HANDLING AND STORAGE

7.1 Precautions for safe

handling

Handle in accordance with good hygiene and safety practice.

7.2 Conditions for safe

storage

Ensure adequate ventilation of the storage area. Keep containers tightly closed, cool and

dry. Avoid high temperatures.

7.3. Specific end use(s) Industrial

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Controls parameters There are no occupational exposure limit values available (OES. Data for NaOH is for

solid material). Comply with good practice for the control of exposure.

8.2 Exposure controls

Engineering controls Ensure adequate ventilation of working area.

Personal protection Observe normal standards for handling chemicals.

Wash hands before breaks and after work.

Avoid contact with skin and eyes.

Wear personal protective equipment appropriate to the task (see below)

Product Name: BEKLEEN

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection Safety goggles (e.g. EN 166) if splashing is likely.

Skin protection Gloves (also consider your own risk assessment; e.g. breakthrough times, rates of

diffusion and degradation, tasks undertaken)

Respiratory protection Approved respirator if ventilation is insufficient.

Other protection Protective overall

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties

Physical form Liquid

Colour

Odour Characteristic

Odour threshold No data available

pH 5-5-6.5

Boiling pt / range From 100 °C

Melting pt / range Not determined °C

Flash point Not applicable °C

Auto ignition temp. Not applicable °C

Evaporation rate Not applicable

Relative density 1.13 - 1.15

Flammability Not applicable

Explosion limits Not applicable

Vapour pressure Not applicable

Relative vapour density Not determined

Water solubility Miscible

Thermal decomposition No data available

Viscosity Not applicable

Partition coefficient Log $P_{o/w} = Not$ determined

Explosive properties Not applicable

Oxidising properties Not applicable

9.2 Other information None known

10. STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions of handling.

10.2 Chemical stability Stable

10.3 Hazardous reactions None known.10.4 Conditions to avoid None known.

Product Name: BEKLEEN

10. STABILITY AND REACTIVITY

10.5 Incompatible material According to experience, there are no incompatible substances.

10.6 Hazardous

decomposition products

None

11. TOXICOLOGICAL INFORMATION

11.1 information on toxicological effects

Acute toxicity LD₅₀ rat (oral) No data available. mg/kg

Dermal compatibility No data available

Mucous membrane

compatibility

No data available

12. ECOLOGICAL INFORMATION

 LC_{50} 12.1 Toxicity Aquatic organisms No data available mg/l

12.2 Degradability No data available

12.3 Bioaccumutive potential Not determined 12.4 Mobility in soil Not determined

12.5 PBT/vPvB assessment Not applicable

12.6 Other adverse effects Do not allow to get into waste water or waterways; if this occurs, inform the relevant water

authority at once.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment measures

Advice on disposal In accordance with national and local authority regulations, e.g. The Hazardous Waste

(England & Wales) Regulations 2005.

Contaminated packaging Treat empty containers in the same way as the product or if possible wash out thoroughly

and recycle.

14. TRANSPORT INFORMATION

14.1 United Nations Not classified (ADR, IMDG, IATA)

number

14.2 Proper shipping name Not classified (ADR, IMDG, IATA) 14.3 Transport class(s) Not classified (ADR, IMDG, IATA)

14.4 Packing group Not classified (ADR, IMDG, IATA)

14.5 Environmental

hazards

The product should not be marked as a marine pollutant. (ADR, IMDG, IATA)

14.6 Special procedures Not applicable (ADR, IMDG, IATA)

14.7 Transport in bulk Not applicable (ADR, IMDG, IATA) Product Name: BEKLEEN

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

15.2 Chemical safety assessment

The product is classified in accordance with EC Regulation 1272/2008 (CLP). Other regulatory information and provisions are not applicable for this product.

Not applicable

16. OTHER INFORMATION

Further information Although by using the classification criteria for mixtures as detailed in the Regulations

the product would be classified as "H314 (Causes severe skin burns and eye damage)", the pH has been adjusted sufficiently not to assign this classification to the product.

The SDS has been revised in accordance with EC Regulation 1272/2008 (CLP)

Hazard statements referred to in sections 2/3

H290: May be corrosive to metals. H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Sources of data Other suppliers' safety data sheets, ECHA C&L Inventory

Date of issue 01-06-2015

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

Data sheet prepared by Rising HS&E Services.